



Industrie Service

Notified Body no. -0036-
 TÜV SÜD Industrie Service GmbH
 Westendstr. 199; D – 80686 Munich

Certificate of conformity of the factory production control

0036 - CPR - M - 015 – 2007

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of March 09th, 2011 (Construction Products Regulation - CPR), this certificate applies to the construction product

Hot finished structural hollow sections of non alloy and fine grain steels

produced by



Rohrwerk Maxhütte GmbH
Franz-Kunze-Straße 1
92237 Sulzbach-Rosenberg

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in annex ZA of the harmonised standard

EN 10210-1:2006

under system 2+ are applied and

the factory production control fulfils all the prescribed requirements set out above.

This certificate remains valid as long as the conditions laid down in the harmonised technical specification in reference or the manufacturing conditions in the factory or the Factory Production Control Plan itself are not modified significantly and latest on December 2019.

Further information about the product parameters and description of the products are included in the scope of approval, annex 1 to this certificate.

First issue: 07/12/2007
Current issue: 02/12/2016
Valid until: 12/12/2019

Munich, December, 02nd 2016

Notified Body, No. 0036




 (M. Strobel)
 (Vice head of the Certification Body)



EQ2715519



Industrie Service

**Geltungsbereich der Überprüfung als Hersteller von Produkten nach BRV 305/2011
Scope of Approval - Manufacturer of Base Materials used in accordance with regulation 305/2011**

**Anlage1 zum Zertifikat Nr. / Annex to Certificate No.
0036-CPR- M - 15 - 2007 von/dated 02.12.2016**

Hersteller / Name: Manufacturer: Str./Street: Ort/City:	Rohrwerk Maxhütte GmbH Franz-Kunze 1 92237 Sulzbach-Rosenberg	Werk:	Nationalität/ Country Deutschland	Datum: Date: 02.12.2016	Blatt-Nr. Page No. 1 v./of 1	Zertifizierungsstelle für metallische Bauprodukte Notifizierte Stelle, Kennnummer / Notified Body, No. 0036 Abteilung Anlagensicherheit
---	---	-------	---	-------------------------------	------------------------------------	--

lfd. Nr./ No.	Werkstoffbezeichnung/ Werkstoff-Nr. / Material Designation /	Werkstoff / Material		Kurz zeichen/ Code	Prüfgegenstand/ Erzeugnisform/Begriff Description Product Terminology	Abmessungen Dimensions				Gewicht Weight max.		Bemerkungen Remarks
		Art. Spec.	Nr. No.			Dicke/Thickness Durchmesser/diameter		Gewicht Weight				
		3a	3b	4	5	6a	6b	7a	7b	8a	8b	
1	S235 JRH 1.0039 S 355J0H, J2H; 1.0547, 1.0576	EN	10210-1	N	warmgefertigte Hohl- profile aus unlegierten Baustählen /	1	13	21,3	139,7			Warmgefertigt: normalisierend endgewalzt / hot finished: normalizing rolling
2	S 275 NH, NLH; 1.0493, 1.0497 S 355 NH, NLH; 1.0539, 1.0549 S 420 NH, NLH; 1.8750, 1.8751 S 460 NH, NLH; 1.8953, 1.8956	EN	102010-1	N	Warmgefertigte Hohl- profile aus Feinkorn- Baustählen / Hot finished structural hollow sections of non- alloy and fine grain steels	1	13	21,3	139,7			Normalisierend endgewalzt / normalizing rolling

Explanation: A = Lösungsgeglüht und abgeschreckt / solution annealed and quenched L = Lösungsgeglüht/solution annealed N = Normalgeglüht/normalized S = Spannungsarmgeglüht/stress relieved TM = Thermomech. behandelt/thermo-mech. treated U = ungeglüht/ not annealed V = vergütet/quenched and tempered CR = Temperaturgeregelt warmumgeformt/ temperature controlled hot formed (controlled rolled) G = weichgeglüht/annealed a = Werkstoffbezeichnung in Spalte 11/material designation in column 11 b = Lieferzustand in Spalte 11/ delivery condition in column 11 c = Prüfgegenstand in Spalte 11/object in column 11 d = Abmessungen in den Techn. Regeln/dimensions acc. to technical rules e = Gewicht in den Techn. Regeln / weight acc. to technical rules f = Nr. der Techn. Regeln in Spalte 11/technical rules reference column 11 N = normalisierendes Walzen/normalizing rolling + AR = wie gewalzt/as roll + M = thermomechanisches Walzen/thermomechanical rolling